OIPE 1208 B

ATTORNEY DOCKET No.: 14014.0417U2 APPLICATION No.: 10/581,228

SHEET 1 OF 15

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

| Complete if Known | | | | |
|----------------------|-----------------|---|--|--|
| Application Number | 10/581,228 | | | |
| Filing Date | June 2, 2006 | | | |
| First Named Inventor | Chiorini et al. | | | |
| Group Art Unit | 1646 | | | |
| Examiner Name | Unassigned | - | | |

| | T - | | | T DOCUMENTS | | | T = |
|---------------------|-------------|-----------------|-------------|-------------------|-------|--------------|-----------------------------|
| Examiner's Initials | Cite No. | Document No. | Date | Name | Class | Subclas s | Filing Date (if appropriate |
| | B1 | 6,146,874 | Nov 14 2000 | Zolotukhin et al. | | | |
| | B2 | 6,180,613 | Jan 30 2001 | Kaplitt et al. | | | |
| - | В3 | 6,221,349 | Apr 24 2001 | Couto et al. | | | |
| | B4 | 6,309,634 | Oct 30 2001 | Bankiewicz et al. | | | |
| | B5 | 6,391,858 | May 21 2002 | Podsakoff et al. | | | |
| | B6 | 6,468,524 | Oct 22 2002 | Chiorini et al. | | | |
| | B7 | 6,485,976 | Nov 26 2002 | Nadler et al. | | | |
| | B8 | 6,855,314 | Feb 15 2005 | Chiorini et al. | | | |
| | B9 | 6,984,517 | Jan 10 2006 | Chiorini et al. | | | |
| | B10 | 2002/0076754 A1 | Jun 20 2002 | Sun et al. | | | |
| | B11 | 2003/0228282 A1 | Dec 11 2003 | Gao et al. | | | |
| | B12 | 2004/0086490 A1 | Jun 06 2004 | Chiorini et al. | | | |
| | B13 | 2004/0110266 A1 | Jun 10 2004 | Chiorini et al. | | | |
| | B14 | 2004/0115789 A1 | Jun 17 2004 | Meruelo et al. | | | |
| - | B15 | 2005/0255089 A1 | Nov 17 2005 | Chiorini et al. | | | |
| | | | FOREIGN PAT | ENT DOCUMENTS | | | |
| Evaminer's | T | Foreign Patent | Date | Name | | Translatio | าท |

| | 10.0 | L | 1 | <u> </u> | | |
|------------------------|--------------------------|--|--------------|--------------------|-----------------------|--|
| | FOREIGN PATENT DOCUMENTS | | | | | |
| Examiner's Initials | Cite No. | Foreign Patent Document Country Code- Number-Kind Code | Date | Name | Translation Yes/No | |
| | B16 | DE 44 36 664 A1 | Jul 4 1996 | Heilbronn, R. | YES | |
| | B17 | WO 1993/24641 A | Dec 9 1993 | Carter et al. | | |
| | B18 | WO 1996/00587 A | Jan 11 1996 | Samulski et al. | | |
| | B19 | WO 1996/15777 A | May 30 1996 | Wiener et al. | | |
| | B20 | WO 1996/18727 | Jun 20 1996 | Natsoulis, Georges | | |
| | B21 | WO 1997/06272 | Feb 20 1997 | Natsoulis, Georges | | |
| | B22 | WO 1998/41240 A | Sept 24 1998 | High et al. | | |
| | B23 | WO 1998/45462 A | Oct 15 1998 | Ciliberto et al. | | |
| | B24 | WO 2000/28061 | May 18 2000 | Wilson et al. | | |
| | B25 | WO 2003/093479 | Nov 13 2003 | Muzyczka et al. | | |
| | B26 | WO 2005/017101 | Feb 24 2005 | Bossis et al. | | |
| | B27 | WO 2006/029196 | Mar 16 2006 | Chiorini et al. | | |
| | B28 | WO 2006/119432 | Nov 09 2006 | Schmidt et al. | | |

Examiner Signature:

Date Considered:

ATTORNEY DOCKET No.: 14014.0417U2

APPLICATION No.: 10/581,228

SHEET 2 OF 15

| | | | Comp | olete if Known | | | |
|--|-------------|--|--|------------------------------------|--|--|--|
| INFORM | ATION D | ISCLOSURE STATEMENT LIST | Application Number | 10/581,228 | | | |
| (Use as many sheets as necessary) | | Filing Date | June 2, 2006 | | | | |
| | | First Named Inventor | Chiorini et al. | | | | |
| | | | Group Art Unit | 1646 | | | |
| | | | Examiner Name | Unassigned | | | |
| | | | T DOCUMENTS | | | | |
| Examiner's Initials | Cite No. | Non-Patent Citations (include A | Publication) | | | | |
| | B29 | Alexander et al., "DNA-Damaging Agen Associated Virus Vectors," December 1 | | | | | |
| | B30 | Alisky et al., "Transduction of Murine Ce 2000, Mol. Neurosci., 11(1221):2669-26 | | nant FIV and AAV5 Vectors," August | | | |
| | B31 | Alisky J.M. and Tolbert D.M., "Differenti amine and cholera toxin subunit B," 199 | | | | | |
| | B32 | Allen, J.M., Halbert, C.L. and Miller, A.D. transfection of a single helper adenoviru | | | | | |
| | B33 | Arnberg, N., A. H. Kidd, K. Edlund, J. N to cell surface sialic acid through a char | | | | | |
| | B34 | Atchison, R. W., B. C. Casto, and W. M Science, 149:754-756. | Atchison, R. W., B. C. Casto, and W. M. Hammon, "Adenovirus-Associated Defective Virus Particles," 1965, | | | | |
| | B35 | | Auricchio et al., "A Single-Step Affinity Column for Purification of Serotype-5 Based Adeno-Associated Viral Vectors," October 2001, <i>Mol Ther</i> , 4(4):372-374. | | | | |
| | B36 | Bachmann, P.A., M.D. Hoggan, E. Kurstak, J.L. Melnick, H.G. Pereira, P. Tattersall, and C. Vago, "Parvoviridae: second report," 1979, <i>Interverology</i> , 11:248-254. | | | | | |
| | B37 | | Bajocchi G, Feldman SH, Crystal RG, Mastrangeli A., "Direct <i>in vivo</i> gene transfer to ependymal cells in the central nervous system using recombinant adenovirus vectors," 1993, <i>Nat Genet</i> , 3:229-234. | | | | |
| | B38 | Bantel-Schaal U, Delius H, Schmidt R, zur Hausen H., "Human adeno-associated virus type 5 is only distantly related to other known primate helper-dependent parvoviruses," 1999, <i>J Virol.</i> , 73(2):939-947. | | | | | |
| | B39 | Bantel-Schaal U, zur Hausen H., "Chara a genital site," 1984, Virology, 134(1):52 | acterization of the DNA of a defe | | | | |
| | B40 | Bantel-Schaal, U. and M. Stohr, "Influer normal cells," 1992, J. Virol., 66:773-77 | Bantel-Schaal, U. and M. Stohr, "Influence of adeno-associated virus on adherence and growth properties of | | | | |
| | B41 | Bantel-Schaal, U., Hub, B. and Kartenbeck, J., "Endocytosis of adeno-associated virus type 5 leads to accumulation of virus particles in the Golgi compartment," 2002, <i>J Virol</i> , 76:2340-2349. | | | | | |
| | B42 | Bartlett JS, Kleinschmidt J., Boucher RC, and Samulski RJ, "Targeted adeno-associated virus vector transduction of nonpermissive cells mediated by a bispecific F(ab'gamma) ₂ antibody," 1999, <i>Nat Biotechno</i> 17:181-186. | | | | | |
| | B43 | Bartlett JS, Samulski RJ, McCown TJ., brain," 1998, Hum Gene Ther, 9(8):118 | | adeno-associated virus type 2 in | | | |
| | B44 | Bartlett, J.S., Wilcher, R. and Samulski, R.J., "Infectious entry pathway of adeno-associated virus and adeno-associated virus vectors," 2000, <i>J Virol</i> , 74:2777-2785. | | | | | |
| B45 Ben-Israel, H. and Kleinberger, T., "Adenovirus and cell cycle control," 2002, Front Biosci, 7:d13 | | | 2002, Front Biosci, 7:d1369-1395. | | | | |

| Examiner Signature: | Date Considered: | | | | |
|--|---|--|--|--|--|
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in | | | | | |
| conformance and not considered. Include copy of this for | m with next communication to applicant. | | | | |

| Ν | NO.: | 10/30 | 1,220 | |
|---|------|-------|-------|--|
| | SHI | FFT 3 | OF 15 | |

| | | Com | plete if Known | |
|---------------------------------------|--|----------------------------------|---|--|
| INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 | |
| /Llee as m | (Use as many sheets as necessary) | | June 2, 2006 | |
| (USE as II | larly silects as fiecessary) | First Named Inventor | Chiorini et al. | |
| | | Group Art Unit | 1646 | |
| | | Examiner Name | Unassigned | |
| B46 | Bergelson, JM, Cunningham JA, Drogue RL, and Finberg RW, "Isolation of a com 1997, Science, 275:1320-1323. | | | |
| B47 | Berns, K. I., "Parvoviridae: the viruses a virology, 3rd ed. Lippincott-Raven Publis | • | | |
| B48 | Blacklow, et al., "Serologic Evidence for 40(2):319-327. | Human Infection With Adenov | virus-Associated Viruses," 1968, <i>J NCI</i> , | |
| B49 | Blacklow, N.R., Hoggan, M.D. and Row Proc Natl Acad Sci U S A, 58:1410-1415 | • | s-associated viruses from man," 1967, | |
| B50 | Bomsel M, Alfsen A, "Entry of viruses th Cell Biol, 4:57-68. | rough the epithelial barrier: pa | thogenic trickery," 2003, Nat Rev Mol | |
| B51 | Bomsel M, David V, "Mucosal gatekeep 116. | ers: selecting HIV viruses for e | early infection," 2002, Nat Med, 8:114- | |
| B52 | Bossis, I. and Chiorini, J.A., "Cloning of an Avian Adeno-Associated Virus (AAAV) and Generation of Recombinant AAAV Particles," 2003, <i>J Virol</i> , 77(12):6799-6810. | | | |
| B53 | Burcin, M.M., O'Malley, B.W. and S.Y. Tsai, "A regulatory system for target gene expression," 1998, Frontiers in Bioscience, 3:c1-7. | | | |
| B54 | Carter, B. J., B. A. Antoni, and D. F. Klessig, "Adenovirus containing a deletion of the early region 2A gene allows growth of adeno-associated virus with decreased efficiency," 1992, Virology, 191:473-476. | | | |
| B55 | Carter, B. J., C. A. Laughlin, L. M. de la Maza, and M. Myers, "Adeno-associated virus autointerference," 1979, <i>Virology</i> , 92:449-462. | | | |
| B56 | Casto, B. C., R. W. Atchison, and W. M. Hammon, "Studies on the relationship between adeno-associated virus type I (AAV-1) and adenoviruses. I. Replication of AAV-1 in certain cell cultures and its effect on helper adenovirus," 1967a, <i>Virology</i> , 32:52-59. | | | |
| B57 | Casto, B. C., J. A. Armstrong, R. W. Atchison, and W. M. Hammon, "Studies on the relationship between adeno-associated virus type 1 (AAV-1) and adenoviruses. II. Inhibition of adenovirus plaques by AAV; its nature and specificity," 1967b, <i>Virology</i> , 33:452-458. | | | |
| B58 | Chang, L.S. and Shenk, T., "The adenovirus DNA-binding protein stimulates the rate of transcription directed by adenovirus and adeno-associated virus promoters," 1990, <i>J Virol</i> , 64:2103-2109. | | | |
| B59 | Chang, L.S., Y. Shi, and T. Shenk, "Adeno-associated virus P5 promoter contains an adenovirus E1A-inducible element and a binding site for the major late transcription factor,"1989, <i>J. Virol.</i> , 63:3479-3488. | | | |
| B60 | Chao H et al., "Several Log Increase in Therapeutic Transgene Delivery by Disticnt Adeno-Associated Viral Serotype Vectors," 2000, <i>Molecular Therapy</i> , 2(6):619-623. | | | |
| B61 | Chejanovsky, N. and B.J. Carter, "Replication of a human parvovirus nonsense mutant in mammalian cells containing an inducible amber suppressor," 1989a, <i>Virology</i> , 171:239-247. | | | |
| B62 | Chejanovsky, N. and B.J. Carter, "Mutageffects on viral DNA replication," 1989b, | • | e adeno-associated virus rep gene: | |

| Examiner Signature: | Date Considered: | | | | |
|--|---|--|--|--|--|
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in | | | | | |
| conformance and not considered. Include copy of this for | m with next communication to applicant. | | | | |

ATTORNEY DOCKET No.: 14014.0417U2

APPLICATION No.: 10/581,228

SHEET 4 OF 15

| | | | Comp | lete if Known | |
|---------|---------------------------------------|---|-----------------------------------|----------------------------|--|
| INFORMA | INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 | |
| | | | Filing Date | June 2, 2006 | |
| (Us | se as m | any sheets as necessary) | First Named Inventor | Chiorini et al. | |
| | | | Group Art Unit | 1646 | |
| | | | Examiner Name | Unassigned | |
| | B63 | Chiorini JA, Afione S, Kotin RM, "Adeno terminal resolution site compared with o | | | |
| | B64 | Chiorini, J.A., C.M. Wendtner, E. Urcela T cell co-stimulatory molecule B7-2 to ly vectors,"1995, <i>Human Gene Therapy</i> , 6 | mphoid cells using high-titer rec | • | |
| | B65 | Chiorini, J.A., L. Yang, B. Safer, and R.I Rep78 binding sites by random sequence | | • | |
| | B66 | Chiorini, J.A., M.D. Weitzman, R.A. Owe proteins of adeno-associated virus type 68:797-804. | | | |
| | B67 | Chiorini, J.A., S.M. Wiener, R.M. Kotin, R.A. Owens, SRM Kyöstiö, and B. Safer, "Sequence requirements for stable binding and function of Rep68 on the adeno-associated virus type 2 inverted terminal repeats,"1994b, <i>J. Virol.</i> , 68:7448-7457. | | | |
| ! | B68 | Clark et al., "Highly Purified Recombinant Adeno-Associated Virus Vectors are Biologically Active and Free of Detectable Helper and Wild-Type Viruses," 1999, Hum. Gene Ther., 10:1031-1039. | | | |
| | B69 | Cohen-Salmon et al., "Targeted ablation of connexin26 in the inner ear epithelial gap junction network causes hearing impairment and cell death," 2002, Curr Biol, 12:1106-1111. | | | |
| | B70 | Crystal RG, "Transfer of genes to humans: early lessons and obstacles to success," 1995, <i>Science</i> , 270(5235):404-410. | | | |
| | B71 | Database EMBL, Entry GGACTAA, Ger | Bank Accession number M6116 | 66, 3/27/1991, XP002125220 | |
| | B72 | Davidson BL, Doran SE, Shewach DS, Latta JM, Hartman JW, Roessler BJ., "Expression of Escherichia coli beta-galactosidase and rat HPRT in the CNS of Macaca mulatta following adenoviral mediated gene transfer,"1994, Exp Neurol, 125:258-267. | | | |
| | B73 | Davidson BL, Stein CS, Heth JA, Martins I, Kotin RM, Derksen TA, Zabner J, Ghodsi A, Chiorini JA, "Recombinant adeno-associated virus type 2, 4, and 5 vectors: Transduction of variant cell types and regions in the mammalian central nervous system," 2000, <i>Proc Natl Acad Sci U S A.</i> , 97(7):3428-3432. | | | |
| | B74 | Deonarain MP, "Ligand-targeted receptor-mediated vectors for gene delivery," 1998, <i>Molecular Conjugate Vectors</i> , 8(1):53-69. | | | |
| | B75 | Derby, M. L., M. Sena-Esteves, et al., "Gene transfer into the mammalian inner ear using HSV-1 and vaccinia virus vectors," 1999, <i>Hear Res</i> , 134(1-2):1-8. | | | |
| | B76 | Di Pasquale, G., and J. A. Chiorini, "PKA/PrKX activity is a modulator of AAV/adenovirus interaction," 2003, <i>EMBO J</i> , 22:1716-1724. | | | |
| | B77 | Di Pasquale, G., B. L. Davidson, et al., "Identification of PDGFR as a receptor for AAV-5 transduction," 2003, <i>Nat Med</i> , 9(10):1306-1312. | | | |
| | B78 | Dixit, M., M.S. Webb, W.C. Smart, and S. Ohi, "Construction and expression of a recombinant adeno- associated virus that harbors a human <i>beta</i> -globin-encoding cDNA," 1991, <i>Gene</i> , 104:253-257. | | | |
| | B79 | Doll RF, Crandall JE, Dyer CA, Aucoin cinto mammalian brain cells using AAV v | | | |

| Examiner Signature: | Date Considered: | | | | | |
|--|--|--|--|--|--|--|
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in | | | | | | |
| conformance and not considered. Include conv of this form | conformance and not considered. Include copy of this form with next communication to applicant | | | | | |

ATTORNEY DOCKET NO.: 14014.0417U2

APPLICATION No.: 10/581,228

SHEET 5 OF 15

| | | | olete if Known | |
|---------------------------------------|---|--|-------------------------------------|--|
| INFORMATION | DISCLOSURE STATEMENT LIST | Application Number Filing Date | 10/581,228 | |
| /I lee as r | (Use as many sheets as necessary) | | June 2, 2006 | |
| (036 83 1 | marry sheets as necessary, | First Named Inventor | Chiorini et al. | |
| | | Group Art Unit | 1646 | |
| | | Examiner Name | Unassigned | |
| B80 | Duan, D., Yue Y., Yan Z., McCray PBJr, and Engelhardt JF., "Polarity influences the efficiency of recombinant adenoassociated virus infection in differentiated airway epithelia," 1998, <i>Hum Gene Ther</i> , 9:2761-2776. | | | |
| B81 | During MJ, Symes CW, Lawlor PA, Lin Lipski J, Young D, "An oral vaccine aga 2000, <i>Science</i> , 287:1453-1460. | | | |
| B82 | During MJ, Xu R, Young D, Kaplitt MG, using an adeno-associated virus vector | | | |
| B83 | During MJ, Leone P, "Adeno-associated 1995-96, Clin Neurosci, 3(5):292-300, X | | of neurodegenerative disorders," | |
| B84 | Erles, K., Sebokova, P. and Schlehofer to adeno-associated virus (AAV)," 1999 | | e of serum antibodies (IgG and IgM) | |
| B85 | Fan D-S, Ogawa M, Fujimoto K-I, Ikeguchi K, Ogasawara Y, Urabe M, Nishizawa M, Nakano I, Yoshida M, Nagatsu I, Ichinose H, Nagatsu T, Kurtzman GJ, Ozawa K, "Behavioral recovery in 6-hydroxydopamine-lesioned rats by cotransduction of striatum with tyrosine hydroxylase and aromatic L-amino acid decarboxylase genes using two separate adeno-associated virus vectors," 1998, <i>Hum Gene Ther</i> , 9:2527-2535. | | | |
| B86 | | Fisher, KJ, Jooss K., Alston J., Yang Y., Haecker SE, High K., Pathak R., Raper SE, and Wilson JM, "Recombinant adeno-associated virus for muscle directed gene therapy," 1997, <i>Nat Med</i> , 3:306-312. | | |
| B87 | Fisher, R.E., H.D. Mayor, "The evolution of defective and autonomous parvoviruses," 1991, <i>J Theor Biol</i> , 149:429-439. | | | |
| B88 | Flannery et al., "Efficient Photoreceptor-targeted Gene Expression in vivo by Recombinant Adeno-Associated Virus," 1997, Proc Natl Acad Sci USA, 94:6916-6921. | | | |
| B89 | | Flotte TR, Solow R, Owens RA, Afione S, Zeitlin PL, Carter BJ, "Gene expression from adeno-associated virus vectors in airway epithelial cells," 1992, Am J Respir Cell Mol Biol, 7(3):349-356; XP000609213 | | |
| B90 | Flotte, T.R., S.A. Afione, C. Conrad, S.A. McGrath, R. Solow, H. Oka, P.L. Zeitlin, W.B. Guggino, and B.J. Carter, "Stable <i>in vivo</i> expression of the cystic fibrosis transmembrane conductance regulator with an adenoassociated virus vector," 1993, <i>Proc. Natl. Acad. Sci.</i> , 90:10613-10617. | | | |
| B91 | Flotte, T.R., S.A. Afione, R. Solow, M.L. Drumm, D. Markakis, W.B. Guggino, P.L. Zeitlin, and B.J. Carter, "Expression of the cystic fibrosis transmembrane conductance regulator from a novel adeno-associated virus promoter," 1993, <i>J Biol Chem</i> , 268:3781-3790. | | | |
| B92 | Frolenkov GI, Belyantseva IA, Friedman TB, Griffith AJ, "Genetic insights into the morphogenesis of inner ear hair cells," 2004, <i>Nat Rev Genet</i> , 5:489-498. | | | |
| B93 | Gao, G., L. H. Vandenberghe, M. R. Alvira, Y. Lu, R. Calcedo, X. Zhou, and J. M. Wilson, "Clades of Adeno-associated viruses are widely disseminated in human tissues," 2004, <i>J Virol</i> , 78:6381-6388. | | | |
| B94 | Gao, G.P., Alvira, M.R., Wang, L., Calcedo, R., Johnston, J. and Wilson, J.M., "Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy," 2002, <i>Proc Natl Acad Sci USA</i> , 99:11854-11859. | | | |
| B95 GenBank Accession number AY186198 | | | | |

| | | Comp | lete if Known | | |
|---------------|---|--|---------------------------------------|--|--|
| INFORMATION D | ISCLOSURE STATEMENT LIST | Application Number | 10/581,228 | | |
| (110 | (Use as many sheets as necessary) | | June 2, 2006 | | |
| (Use as m | | | Chiorini et al. | | |
| | | Group Art Unit | 1646 | | |
| | | Examiner Name | Unassigned | | |
| B96 | Georg-Fries B, Biederlack S, Wolf J, zur Hausen H, "Analysis of proteins, helper dependence, and seroepidemiology of a new human parvovirus," 1984, <i>Virology</i> , 134(1):64-71, XP002027460. | | | | |
| B97 | Ghodsi A., Stein C., Derksen T., Martin improves <i>beta</i> -glucuronidase distributio gene transfer," 1999, <i>Exp Neurol</i> , 160:1 | n and pathology in murine MPS | | | |
| B98 | Ghodsi A., Stein, C., Derksen T., Yang, activity in murine central nervous system <i>Ther</i> , 9:2331-2340. | | | | |
| B99 | Girod A., Ried M., Wobus C., Lahm H. capsid modifications allow efficient re-ta 1056. | | | | |
| B100 | Grimm, D. and M. A. Kay, "From virus evolution to vector revolution: use of naturally occurring serotypes of adeno-associated virus (AAV) as novel vectors for human gene therapy," 2003, <i>Curr Gene Ther</i> , 3(4)::281-304. | | | | |
| B101 | Grimm D and Kern A, Rittner K Kleinsc Recombinant Adenoassociated Virus V | | | | |
| B102 | | Guy J., Qi X., Muzyczka N., and Hauswirth WW, "Reporter expression persists 1 year after adenoassociated virus-mediated gene transfer to the optic nerve," 1999, <i>Arch Ophthalmol</i> , 117:929-937. | | | |
| B103 | Halbert CL, Standaert TA, Aitken ML, Alexander IE, Russell DW, and Miller AD, "Transduction by adeno- associated virus vectors in the rabbit airway: efficiency, persistence, and readministration," 1997, <i>J. Virol.</i> , 71:5932-5941. | | | | |
| B104 | Halbert, C. L., J. M. Allen, and A. D. Miller, "Adeno-associated virus type 6 (AAV6) vectors mediate efficient transduction of airway epithelial cells in mouse lungs compared to that of AAV2 vectors," 2001, <i>J Virol</i> , 75:6615-6624. | | | | |
| B105 | He, D. Z., J. Zheng, et al., "Development Res, 162(1-2):113-125. | nt of acetylcholine receptors in co | ultured outer hair cells," 2001, Hear | | |
| B106 | Hehir K.M., Armentano D., Cardoza L.M., Choquette T.L., Berthelette P.B., White G.A., Couture L.A., Everton M.B., Keegan J., Martin J.M., Pratt D.A., Smith M.P., Smith A.E., Wadsworth S.C., "Molecular characterization of replication-competent variants of adenovirus vectors and genome modifications to prevent their occurrence," 1996, <i>J Virol</i> , 70(12):8459-8467. | | | | |
| B107 | Heister, T., Heid, I. Ackermann, M., Fraefel, C., "Herpes simplex virus type 1/adeno-associated virus hybrid vectors mediate site-specific integration at the adeno-associated virus preintegration site, AAVS1, on human chromosome 19," 2002, <i>J Virol</i> , 76(14):7163-7173. | | | | |
| B108 | Hermonat PL, Santin AD, De Greve J, De Rijcke M, Bishop BM, Han L, Mane M, Kokorina N, "Chromosomal latency and expression at map unit 96 of a wild-type plus adeno-associated virus (AAV)/Neo vector and identification of p81, a new AAV transcriptional promoter," 1999 Nov-Dec, <i>J Hum Virol.</i> , 2(6):359-368. | | | | |
| B109 | Hermonat, PL and N Muzyczka, "Use of adeno-associated virus as a mammalian DNA cloning vector: transduction of neomycin resistance into mammalian tissue culture cells," 1984, <i>Proc Natl Acad Sci USA</i> , 81:6466-6470. | | | | |

APPLICATION No.: 10/581,228

SHEET 7 OF 15

| | | | lete if Known | |
|---------------------------------------|---|-----------------------------------|--|--|
| INFORMATION DISCLOSURE STATEMENT LIST | Application Number | 10/581,228 | | |
| /Llee as ma | (Use as many sheets as necessary) | Filing Date | June 2, 2006 | |
| (Use as many sneets as necessary) | | First Named Inventor | Chiorini et al. | |
| | | | 1646 | |
| | | Examiner Name | Unassigned | |
| B110 | Hermonat, P.L., M.A. Labow, R. Wright isolation and preliminary characterization 339. | | | |
| B111 | Hoggan, M. D., N. R. Blacklow, and W. preparations: physical, biological, and in 55:1467-1474. | | | |
| B112 | Hoggan, M.D., "Adenovirus associated | viruses," 1970, Prog Med Virol, | 12:211-239. | |
| 1 1 1 1 1 1 1 | Holt, J. R., "Viral-mediated gene transfe 2002, <i>Audiol Neurootol</i> , 7(3):157-160. | er to study the molecular physiol | ogy of the Mammalian inner ear" | |
| 1 5 1 1 4 1 | Holt, J. R., D. C. Johns, et al., "Function cells infected with adenoviral vectors," | | - | |
| B115 | Hsueh Y-P, Sheng M., "Regulated expression and subcellular localization of syndecan heparan s proteoglycans and the syndecan-binding protein CASK/LIN-2 during rat brain development," 1999 Neurosci, 19(17):7415-7425. | | | |
| B116 | Hsueh Y-P, Yang F-C, Kharazia V, Nais CASK/LIN-2 and syndecan heparan sul synapses," 1998, <i>J Cell Biol</i> , 142(1):13 | lfate proteoglycan and their over | • | |
| B117 | Hull, R. N., J. R. Minner, and J. W. Smi kidney cells. I. Origin and properties of S.V.12 and S.V.15," 1956, <i>Am J Hyg</i> , 6 | cytopathogenic agents S.V.1, S. | | |
| | Hull, R. N., and J. R. Minner, "New viral Problems of isolation and identification, | | | |
| B119 | Hull, R. N., J. R. Minner, and C. C. Mas kidney cells. III. Recovery of additional and excreta," 1958, <i>Am J Hyg</i> , 68:31-44 | agents both from cultures of mor | • | |
| | Hunter, L.A. and R.J. Samulski, "Coloca nuclei of infected cells," 1992, <i>J. Virol.</i> , | | us Rep and capsid proteins in the | |
| | Im DS, Muzyczka N, "Partial purification biochemical characterization," 1992 Fel | | | |
| | Inglis VI, Jones MP, Tse AD, Easton AS model of the blood-brain barrier," 2004 | | increase permeability in a cell culture | |
| I B L/3 | Ito, M. and H.D. Mayor, "Hemagglutinin 100:61-68. | of type 4 adeno-associated sate | ellite virus," 1968, <i>J. Immunol</i> , | |
| B124 | Jaksch, M., K.D. Gerbitz, and C. Kilger, nonradioactive single strand conformati 509 | | | |
| 1 8 1 /2 1 | Janik, J.E., M.M. Huston, K. Cho, and J proteins requires both adenovirus DNA | • | | |

| Examiner Signature: | Date Considered: |
|---|--|
| EXAMINER: Initial if reference considered, whether or | not citation is in conformance with MPEP 609. Draw line through citation if not in |
| conformance and not considered. Include copy of this form | |

APPLICATION No.: 10/581,228 SHEET 8 OF 15

| | | Comp | lete if Known |
|---------------------------------------|--|--|---|
| INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 |
| . (1) | (Use as many sheets as necessary) | | June 2, 2006 |
| (Use as m | | | Chiorini et al. |
| | | | 1646 |
| | | Examiner Name | Unassigned |
| B126 | Jero J, Mhatre AN, Tseng CJ, Stern Rt AK., "Cochlear gene delivery through a 12(5):539-548. | | |
| B127 | Johansson CB, Momma S, Clarke DL, the adult mammalian central nervous s | • | Identification of a neural stem cell in |
| B128 | Kaludov et al., "Adeno-Associated Viru Hemagglutination and Efficient Transdom, 75(15):6884-6893. | | |
| B129 | Kaludov et al., "Scalable Purification of Chromatography," 2002, <i>Human Gene</i> | • | , 4 or 5 Using Ion-Exchange |
| B130 | Kanzaki, S., K. Ogawa, et al., "Transge and advanced generation adenovirus v | | |
| B131 | Kaplitt, M.G., P. Leone, R.J. Samulski, expression and phenotypic correction wature Genetics, 8:148-154. | | |
| B132 | Kelsell, D.P., Dunlop, J., Stevens, H.P. "Connexin 26 mutations in hereditary n 83 | | |
| B133 | Kern, A., K. Schmidt, C. Leder, O. J. M. J. A. Kleinschmidt, "Identification of a h J Virol, 77:11072-11081. | | |
| B134 | Klein RL, Meyer EM, Peel AL, Zolotukh in the rat septohippocampal or nigrostr <i>Exp Neurol</i> , 150:183-194. | | • |
| B135 | Kondo M., Finkbeiner WE, and Widdick from dog tracheal epithelium," 1991, A. | | culture of highly differentiated cells |
| B136 | Kotin et al., "Organization of adeno-ass 170(2):460-467 | sociated virus DNA in latently info | ected Detroit 6 cells," 1989, Virology, |
| B137 | Kotin, R.M., M. Siniscalco, R.J. Samuls Rocchi, and K.I. Berns, "Site-specific in USA, 87:2211-2215. | ski, X. Zhu, L. Hunter, C.A. Laugl ntegration by adeno-associated v | nlin, S. McLaughlin, N. Muzyczka, M. irus," 1990, <i>Proc. Natl. Acad. Sci.</i> |
| B138 | Kovacs P, Pinter M, Csaba G, "Effect on <i>Tetrahymena pyriformis</i> : data on the 18(4):269-280. | | |
| B139 | Kyo S, Nakamura M, Kiyono T, Maida immortalization of endometrial glandula <i>Am J Pathol</i> , 163(6):2259-2269. | Y, Kanaya T, Tanaka M, Yatabe ar cells with normal structural and | N, Inoue M, "Successful d functional characteristics," 2003, |

| Examiner Signature: | Date Considered: |
|--|--|
| EXAMINER: Initial if reference considered, whether or | not citation is in conformance with MPEP 609. Draw line through citation if not in |
| conformance and not considered. Include copy of this for | m with next communication to applicant. |

| | | Comp | lete if Known |
|---------------|--|--------------------------------------|-------------------------------------|
| INFORMATION D | INFORMATION DISCLOSURE STATEMENT LIST | | 10/581,228 |
| | | Application Number Filing Date | June 2, 2006 |
| Use as m | (Use as many sheets as necessary) | | Chiorini et al. |
| | | Group Art Unit | 1646 |
| | | Examiner Name | Unassigned |
| B140 | Kyostio SR, Owens RA, Weitzman MD, virus (AAV) wild-type and mutant Rep p levels," 1994, <i>J Virol</i> , 68(5):2947-2957, | roteins for their abilities to negat | |
| B141 | Laughlin, C.A., M.W. Myers, D.L. Risin, adeno-associated virus," 1979, Virology | | g particles of the human parvovirus |
| B142 | Laughlin, C.A., N. Jones, and B.J. Carte replication of adeno-associated virus," 1 | | rus early region 1 genes upon |
| B143 | Lee K, Kim YG, Jo EC, "Shuttle PCR-bagenome," 2003, J Virol Methods, 111(2) | - | eno-associated virus type 5 |
| B144 | Li J, Samulski RJ, Xiao X, "Role for High Vector Production," 1997, J Virol, 71(7): | | ion in Adeno-Associated Virus |
| B145 | Li Duan, M., T. Bordet, et al., "Adenoviraguinea pig cochlea," 2002, Neuroreport | | ctor mediated gene transfer in the |
| B146 | Liang Y, Annan RS, Carr SA, Popp S, N the <i>Drosophila</i> slit protein are ligands of <i>Chem</i> , 274(25):17885-17892. | | |
| B147 | Lo WD, Qu G, Sferra TJ, Clark R, Chen the brain: duration and modulation of ex | | |
| B148 | Luchsinger, E., Strobbe, R., Dekegel, D simple tool for the separation of adeno- Arch Gesamte Virusforsch, 33:251-258. | associated X 7 virus (AAVX 7) for | - |
| B149 | Luchsinger, E., Strobbe, R., Wellemans adeno-associated virus (AAV) in associated virus (ASV) in | | |
| B150 | Luebke, A. E., J. D. Steiger, et al., "A m compromising cochlear function," 2001, | | cochlear hair cells in vivo without |
| B151 | Luebke, A. E., P. K. Foster, et al., "Cochusing adenovirus- and adeno-associate | | |
| B152 | Maeda Y, Ikeda U, Ogasawara Y, Urabo K, "Gene transfer into vascular cells usi 35(3):514-521, XP-002125030 | | |
| B153 | Mandel RJ, Rendahl KG, Spratt SK, Snr recombinant adeno-associated virus-me GTP-cyclohydrolase I in a rat model of I | ediated gene transfer of human t | yrosine hydroxylase and human |
| B154 | McCarty, D.M., J. Pereira, I. Zolotukhin, sequences that specifically bind the ade | | |
| B155 | McCown TJ, Xiao X, Li J, Breese GR, S Gene Transfer by an Adeno-Associated | | • |

| Examiner Signature: | Date Considered: |
|--|--|
| EXAMINER: Initial if reference considered, whether or | not citation is in conformance with MPEP 609. Draw line through citation if not in |
| conformance and not considered. Include copy of this for | m with next communication to applicant. |

APPLICATION No.: 10/581,228

SHEET 10 OF 15

| | | Comp | lete if Known |
|---------------|---|---------------------------------|--|
| INFORMATION D | (Use as many sheets as necessary) | | 10/581,228 |
| /Llea as m | | | June 2, 2006 |
| (Use as III | ally silects as flecessary) | First Named Inventor | Chiorini et al. |
| | | Group Art Unit | 1646 |
| | | Examiner Name | Unassigned |
| B156 | McPherson, R. A., L. J. Rosenthal, and associated virus replication," 1985, Viro | | virus completely helps adeno- |
| B157 | Mendelson, E., J.P. Trempe, and B.J. Cassociated virus by antibodies to a synthesis | | • • • |
| B158 | Meyers, C., Mane, M., Kokorina, N., Alavirus type 2 autonomously replicates in 272:338-346. | | |
| B159 | Mitrani E, Ziv T, Thomsen G, Shimoni structures and is expressed in the hypo | | |
| B160 | Mizukami, H., N.S. Young, and K.E. Bromembrane glycoprotein," 1996, <i>Virolog</i> | | pe 2 binds to a 150-kilodalton cell |
| B161 | Mori, S., L. Wang, T. Takeuchi, and T. monkey: pseudotyping characterization | | |
| B162 | Mouw, M.B. and Pintel, D.J., "Adeno-as stimulated during coinfection with aden | • • | , , , |
| B163 | Muramatsu S-I, et al., "Nucleotide Sequ Virus 3," 1996, Virology, 221:208-217, | • | ectious Clone of Adeno-Associated |
| B164 | Muster et al., "Physical Mapping of Ade XP002058632 | eno-Associated Virus Serotype 4 | DNA" 1980, <i>J. Virol.</i> , 35(3):653-661; |
| B165 | Muzyczka, N, "Use of adeno-associate Curr Top Microbiol Immunol, 158:97-12 | _ | vector for mammalian cells," 1992, |
| B166 | Myrup, A.C., Mohanty, S.B. and Hetrick from bovine adenovirus types 1 and 2," | • | |
| B167 | Naz, S., Griffit,h A.J., Riazuddin, S., Ha Friedman, T.B., "Mutations of <i>ESPN</i> ca <i>J Med Genet</i> , 41(8):591-595. | | |
| B168 | No D, Yao TP, Evans RM., "Ecdysone-1996, Proc Natl Acad Sci USA, 93(8):3 | • | mmalian cells and transgenic mice," |
| B169 | Ogston, P., K. Raj, and P. Beard, "Proc papillomavirus type 16 (HPV-16) episor protein," 2000, <i>J Virol</i> , 74:3494-3504. | | |
| B170 | Opie et al., "Identification of amino acid contribute to heparan sulfate proteogly | | |
| B171 | O'Riordan et al., "Scaleable Chromatog (rAAV)," 2000, J Gene Med, 2:444-454 | | Recombinant Adeno-Associated Virus |
| B172 | Parks, W.P., J.L. Melnick, R. Rongey, a defective adeno-satellite virus," 1967, | | and growth cycle studies of a |

| Examiner Signature: | Date Considered: |
|--|--|
| EXAMINER: Initial if reference considered, whether o | r not citation is in conformance with MPEP 609. Draw line through citation if not in |
| conformance and not considered. Include copy of this for | m with next communication to applicant. |

APPLICATION No.: 10/581,228

SHEET 11 OF 15

| | | Comp | lete if Known |
|---------------------------------------|---|-------------------------------------|--|
| INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 |
| (1) | (Use as many sheets as necessary) | | June 2, 2006 |
| (Use as ma | | | Chiorini et al. |
| | | Group Art Unit | 1646 |
| | | Examiner Name | Unassigned |
| B173 | Podsakoff, G., K.K. Jr Wong, and S. Chassociated virus-based vectors," 1994, | - | into nondividing cells by adeno- |
| B174 | Polishchuk R, Di Pentima A, Lippincott- the apical surface of polarized MDCK of | | |
| B175 | Prasad KM, Zhou C, Trempe JP, "Chart Virology, 229(1):183-192, XP-00212503 | | -associated virus complex," 1997, |
| B176 | Qing K, Mah C, Hansen J, Zhou S, Dwa co-receptor for infection by adeno-asso | | - |
| B177 | Qiu J, Brown KE., "Integrin alphaVbeta! 1999, Virology, 264(2):436-440. | 5 is not involved in adeno-assoc | iated virus type 2 (AAV2) infection," |
| B178 | Rabinowitz et al., "Cross-Packaging of a Multiple AAV Serotypes Enables Transa XP002247245. | | |
| B179 | Rabinowitz JE, Bowles DE, Faust SM, I virion: the transcapsidation of adeno-as <i>Virol</i> , 78(9):4421-4432. | | |
| B180 | Reddy, V. S., P. Natarajan, B. Okerberg Johnson, "Virus Particle Explorer (VIPE analyses," 2001, <i>J Virol</i> , 75:11943-1194 | R), a website for virus capsid st | |
| B181 | Rich DP, Couture LA, Cardoza LM, Gui and Gregory RJ, "Development and and fibrosis," 1993, <i>Hum.Gene Ther.</i> , 4:461 | alysis of recombinant adenovirus | |
| B182 | Richardson, W. D., and H. Westphal, "Figene products in the helper effect for ac | Requirement for either early region | • • |
| B183 | Rose, J.A., M.D. Hoggan, F. Koczot, an associated viruses," 1968, J. Virol., 2:99 | d A.J. Shatkin, "Genetic related | |
| B184 | Rosenfeld et al., "Adeno-associated vira Neuro-Oncology, 34(2):139-144. | al vector gene transfer into lepto | meningeal xenografts," 1997, J |
| B185 | Russell et al., "Adeno-Associated Virus Acad. Sci. USA, 91:8915-8919. | Vectors Preferentially Transduc | e Cells in S Phase," 1994, Proc. Natl. |
| B186 | Rutledge EA, Halbert CL, and Russell I Virus (AAV) Serotypes other Than AAV | | |
| B187 | Ryan, J.H., S. Zolotukhin, and N. Muzyo associated virus terminal repeats," 1996 | | or binding of Rep68 to the adeno- |
| B188 | Rzadzinska, A. K., M. E. Schneider, et functional architecture and self-renewal | | • |
| B189 | Saffer, L. D., R. Gu, et al., "An RT-PCR control sensory epithelia of rat utricles," | | |

| Examiner Signature: | Date Considered: |
|--|--|
| EXAMINER: Initial if reference considered, whether or | not citation is in conformance with MPEP 609. Draw line through citation if not in |
| conformance and not considered. Include copy of this for | m with next communication to applicant. |

| ſ | | | Comp | lete if Known |
|---|---------------------------------------|--|------------------------------------|--|
| | INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 |
| | | | Filing Date | June 2, 2006 |
| | (Use as many sheets as necessary) | | First Named Inventor | Chiorini et al. |
| | | | Group Art Unit | 1646 |
| | | | Examiner Name | Unassigned |
| | B190 | Salo R. and Mayor H., "Structural Polyp | eptides of Parvoviruses." 1977. | Virology, 78:340-345; XP002058634 |
| | B191 | Samulski RJ, Chang LS, Shenk T, "Help integration does not require viral gene e | per-free stocks of recombinant a | deno-associated viruses: normal |
| | B192 | Samulaki, P. L. and T. Shank, "Adenovirus F1R 55-M polypentide facilitates timely cytoplasmic | | |
| | B193 | Samulski, R.J., K.I. Berns, M. Tan, and rescue of intact virus from the recombin 79:2077-2081. | | |
| | B194 | Sanes JR, JLR Rubenstein, and JF Nico lineage in mouse embryos," 1986, <i>EMB</i> | | ovirus to study post-implantation cell |
| | B195 | Sanlioglu, S., Benson, P.K., Yang, J., Annuclear trafficking of adeno-associated activation," 2000, <i>J Virol</i> , 74:9184-9196. | virus type 2 are controlled by rac | |
| | B196 | Schinkel AH, "P-Glycoprotein, a gatekee 194. | eper in the blood-brain barrier,"1 | 999, Adv Drug Deliv Rev, 36:179- |
| | B197 | Schlehofer JR, Heilbronn R, Georg-Frie amplification in SV40-transformed Chine J Cancer, 32(5):591-595, XP009010321 | ese hamster cells by infection wi | |
| | B198 | Schlehofer, J. R., M. Ehrbar, and H. zur induce DNA amplification in a human ce 1986, <i>Virology</i> , 152:110-117. | | |
| | B199 | Schmidt M, Grot E, Cervenka P, Wainer adeno-associated virus isolates in ATC | | |
| | B200 | Schneider, M. E., I. A. Belyantseva, et a 418(6900):837-838. | ıl., "Rapid renewal of auditory ha | air bundles," 2002, Nature, |
| | B201 | Schwede, T., J. Kopp, N. Guex, and M. modeling server," 2003, <i>Nucleic Acids F</i> | | n automated protein homology- |
| | B202 | Seiler MP, Miller AD, Zabner J, Halbert cell entry," 2006, <i>Hum Gene Ther</i> , 17:10 | | es 5 and 6 use distinct receptors for |
| | B203 | Seiler, M. P., C. L. Halbert, J. A. Chiorin Transfer to Human Airway Epthelia Via | | |
| | B204 | Senapathy, P., J.D. Tratschin, and B.J. Complementation of naturally occurring of terminal palindrome deletions," 1984, | rep- mutants by a wild-type gen | |
| | B205 | Shou, J., J. L. Zheng, et al., "Robust gel adenoviral expression of <i>Hath1</i> ," 2003, | | • |
| | B206 | Smith, R. H., S. A. Afione, et al., "Trans virus type 5 helper plasmid," 2002, <i>Biote</i> | | |

| | : | Cimmotumos | |
|-----|-------|------------|--|
| Exa | miner | Signature: | |

Date Considered:

| | | Comp | lete if Known |
|---------------------------------------|--|-------------------------------------|----------------------------------|
| INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 |
| (Use as many sheets as necessary) | | Filing Date First Named Inventor | June 2, 2006 |
| (036 83 111 | (Use as many sneets as necessary) | | Chiorini et al. |
| | | Group Art Unit | 1646 |
| | | Examiner Name | Unassigned |
| B207 | Snyder RO, Miao CH, Patijn GA, Spratt Thompson AR, and Kay MA, "Persisten hepatic gene transfer of recombinant A | t and therapeutic concentrations | of human factor IX in mice after |
| B208 | Sobkowicz, H. M., J. M. Loftus, et al., "Tissue culture of the organ of Corti," 1993, <i>Acta Otolaryngol Suppl</i> , 502:3-36. | | |
| B209 | Srivastava et al., "Nucleotide Sequence and Organization of the Adeno-Associated Virus 2 Genome," 1983, J. Virol., 45(2):555-564; XP002058633 | | |
| B210 | Staecker H, Li D, O'Malley BW Jr, Van De Water TR., "Gene expression in the mammalian cochlea: a study of multiple vector systems," 2001, <i>Acta Otolaryngol</i> , 121(2):157-163. | | |
| B211 | Stracker, T. H., G. D. Cassell, P. Ward, Y. M. Loo, B. van Breukelen, S. D. Carrington-Lawrence, R. K. Hamatake, P. C. van der Vliet, S. K. Weller, T. Melendy, and M. D. Weitzman, "The Rep protein of adenoassociated virus type 2 interacts with single-stranded DNA-binding proteins that enhance viral replication," 2004, <i>J Virol</i> , 78:441-453. | | |
| B212 | Summerford C, Bartlett JS, Samulski RJ., "AlphaVbeta5 integrin: a co-receptor for adeno-associated virus type 2 infection," 1999, Nat Med, 5(1):78-82. | | |
| B213 | Summerford, C. and R. J. Samulski, "Membrane-associated heparan sulfate proteoglycan is a receptor for adeno-associated virus type 2 virions," 1998, <i>J Virol</i> , 72(2):1438-1445. | | |
| B214 | Superti, F., M. L. Marziano, A. Tinari, and G. Donelli, "Effect of polyions on the infectivity of SA-11 rotavirus in LCC-MK2 cells," 1993, Comp Immunol Microbiol Infect Dis, 16:55-62. | | |
| B215 | Suzuki, H., Y. Katori, et al., "Carbohydrate distribution in the living utricular macula of the guinea pig detected by lectins," 1995, <i>Hear Res</i> , 87(1-2):32-40. | | |
| B216 | Teramoto, S., Bartlett JS, McCarty DXX, Samulski RJ, and Boucher RC, "Factors influencing adenoassociated virus-mediated gene transfer to human cystic fibrosis airway epithelial cells: comparison with adenovirus vectors," 1998, <i>J Virol</i> , 72:8904-8912. | | |
| B217 | Thomas CE, Storm TA, Huang Z, Kay MA, "Rapid uncoating of vector genomes is the key to efficient liver ransduction with pseudotyped adeno-associated virus vectors," 2004, <i>J Virol</i> , 78(6):3110-3122. | | |
| B218 | Tratschin, J. D., M. H. West, T. Sandbank, and B. J. Carter, "A human parvovirus, adeno-associated virus, as a eucaryotic vector: transient expression and encapsidation of the procaryotic gene for chloramphenicol acetyltransferase," 1984, <i>Mol Cell Biol</i> , 4:2072-2081. | | |
| B219 | Tratschin, J.D., I.L. Miller, and B.J. Carter, "Genetic analysis of adeno-associated virus: properties of deletion mutants constructed <i>in vitro</i> and evidence for an adeno-associated virus replication function," 1984, <i>J. Virol.</i> , 51:611-619. | | |
| B220 | Trempe, J.P. and B.J. Carter, "Regulation of adeno-associated virus gene expression in 293 cells: control of mRNA abundance and translation," 1988, <i>J. Virol.</i> , 62:68-74. | | |
| B221 | Trempe, J.P., E. Mendelson, and B.J. Carter, "Characterization of adeno-associated virus rep proteins in human cells by antibodies raised against rep expressed in <i>Escherichia coli</i> ," 1987, <i>Virology</i> , 161:18-28. | | |
| B222 | Tuma PL and Hubbard AL, "Transcytos | is: crossing cellular barriers," 20 | 03, Physiol Rev, 83(3):871-932. |

| Examiner Signature: | Date Considered: |
|---|--|
| EXAMINER: Initial if reference considered, whether or | not citation is in conformance with MPEP 609. Draw line through citation if not in |
| conformance and not considered. Include copy of this form | m with next communication to applicant. |

ATTORNEY DOCKET NO.: 14014.0417U2

APPLICATION NO.: 10/581,228

SHEET 14 OF 15

| 2 (1 | | Comp | olete if Known | |
|---------------------------------------|---|-----------------------------------|-----------------|--|
| INFORMATION DISCLOSURE STATEMENT LIST | | Application Number Filing Date | 10/581,228 | |
| (Uso as mai | (Use as many sheets as necessary) | | June 2, 2006 | |
| (OSE as Illai | | | Chiorini et al. | |
| | | Group Art Unit | 1646 | |
| | | Examiner Name | Unassigned | |
| B223 | Voutetakis A, Kok MR, Zheng C, Bossis YP, Nieman LK, Baum BJ, "Reenginee gene therapeutics," 2004, <i>Proc Natl Ac</i> | red salivary glands are stable er | | |
| B224 | Walsh, C.E., J.M. Liu, X. Xiao, N.S. Young, A.W. Nienhuis, and R.J. Samulski, "Regulated high level expression of a human gamma-globin gene introduced into erythroid cells by an adeno-associated virus vector," 1992, <i>Proc Natl Acad Sci USA</i> , 89:7257-7261. | | | |
| B225 | Walters, R.W., Yi, S.M., Keshavjee, S., Brown, K.E., Welsh, M.J., Chiorini, J.A. and Zabner, J., "Binding of adeno-associated virus type 5 to 2,3-linked sialic acid is required for gene transfer," 2001, <i>J Biol Chem</i> , 276:20610-20616. | | | |
| B226 | Walters, RW, Duan D., Engelhardt JF, and Welsh MJ., "Incorporation of adeno-associated virus in a calcium phosphate coprecipitate improves gene transfer to airway epithelia <i>in vitro</i> and <i>in vivo</i> ," 2000, <i>J. Virol.</i> , 74:535-540. | | | |
| B227 | Walters, RW, Grunst T., Bergelson JM, Finberg RW, Welsh MJ, and Zabner J., "Basolateral localization of fiber receptors limits adenovirus infection from the apical surface of airway epithelia," 1999, <i>J. Biol. Chem.</i> , 274:10219-10226. | | | |
| B228 | Walz, C., A. Deprez, T. Dupressoir, M. Durst, M. Rabreau, and J. R. Schlehofer, "Interaction of human papillomavirus type 16 and adeno associated virus type 2 co-infecting human cervical epithelium," 1997, <i>J Gen Virol</i> , 78(Pt 6):1441-1452. | | | |
| B229 | Wang G., Davidson BL, Melchert P., Slepushkin VA, van Es HH, Bodner M., Jolly DJ, and McCray PBJr., "Influence of cell polarity on retrovirus-mediated gene transfer to differentiated human airway epithelia," 1998, Journal of Virology, 72:9818-9826. | | | |
| | Wang X S, and A Srivastava, "Rescue and autonomous replication of adeno-associated virus type 2 genomes containing Rep-binding site mutations in the viral p5 promoter," 1998, <i>J Virol</i> , 72:4811-4818. | | | |
| 1 8 2 3 1 | Ward, P., F. B. Dean, M. E. O'Donnell, and K. I. Berns, "Role of the adenovirus DNA-binding protein in <i>in vitro</i> adeno-associated virus DNA replication," 1998, <i>J Virol</i> , 72:420-427. | | | |
| | Weindler, F. W., and R. Heilbronn, "A subset of herpes simplex virus replication genes provides helper functions for productive adeno-associated virus replication," 1991, <i>J Virol</i> , 65:2476-2483. | | | |
| 18/33 | Winocour, E., M.F. Callaham, and E. Huberman, "Perturbation of the cell cycle by adeno-associated virus," 1988, <i>Virology</i> , 167:393-399. | | | |
| B234 | Xiao, W., N. Chirmule, S. C. Berta, B. McCullough, G. Gao, and J. M. Wilson, "Gene therapy vectors based on adeno-associated virus type 1," 1999, <i>J Virol</i> , 73:3994-4003. | | | |
| B235 | Xiao et al., "Efficient Long-Term Gene Transfer into Muscle Tissue of Immunocompetent Mice by Adeno-Associated Virus Vector," 1996, <i>J. Virol.</i> , 70(11):8098-8108. | | | |
| 18/10 1 | Xiao Xm Li J, Samulski RJ, "Production of High-Titer Recombinant Adeno-Associated Virus Vectors in the Absence of Helper Adenovirus," 1997, <i>J Virol</i> , 72(3):2224-2232. | | | |
| | Xie Q. and Chapman MS, "Canine parvovirus capsid structure, analyzed at 2.9 Å resolution," 1996, <i>J Mol Biol</i> , 264:497-520. | | | |
| 1 8 / 38 1 | Yalkinoglu, A.O., Heilbronn, R., Burkle, A., Schlehofer, J.R. and zur Hausen, H., "DNA amplification of adeno-associated virus as a response to cellular genotoxic stress," 1988, <i>Cancer Res</i> , 48:3123-3129. | | | |

Examiner Signature:

Date Considered:

ATTORNEY DOCKET No.: 14014.0417U2

APPLICATION No.: 10/581,228

SHEET 15 OF 15

| | | Complete if Known | | |
|---------------------------------------|--|---|-----------------|--|
| INFORMATION DISCLOSURE STATEMENT LIST | | Application Number | 10/581,228 | |
| (Use as many sheets as necessary) | | Filing Date | June 2, 2006 | |
| | | First Named Inventor | Chiorini et al. | |
| | | Group Art Unit | 1646 | |
| | | Examiner Name | Unassigned | |
| B239 | Yakobson, B., Hrynko, T.A., Peak, M.J. and Winocour, E., "Replication of adeno-associated virus in cells irradiated with UV light at 254 nm," 1989, <i>J Virol</i> , 63:1023-1030. | | | |
| B240 | Yamano, S., Huang, L.Y., Ding, C., Chiorini, J.A., Goldsmith, C.M., Wellner, R.B., Golding, B., Kotin, R.M., Scott, D.E. and Baum, B.J., "Recombinant adeno-associated virus serotype 2 vectors mediate stable interleukin 10 secretion from salivary glands into the bloodstream," 2002, <i>Hum Gene Ther</i> , 13:287-298. | | | |
| B241 | | Yamaya, M., Finkbeiner WE, Chun SY, and Widdicombe JH, "Differentiated structure and function of cultures from human tracheal epithelium," 1992, <i>Am.J.Physiol</i> , 262:L713-L724. | | |
| B242 | Zabner J, Seiler M, Walters R, Kotin RM, Fulgeras W, Davidson BL, Chiorini JA, "Adeno-associated virus type 5 (AAV5) but not AAV2 binds to the apical surfaces of airway epithelia and facilitates gene transfer," 2000, <i>J Virol.</i> , 74(8):3852-3858, XP002197205 | | | |
| B243 | Zabner, J., Zeiher BG, Friedman E, and Welsh MJ, "Adenovirus-mediated gene transfer to ciliated airway epithelia requires prolonged incubation time," 1996, <i>J. Virol.</i> , 70:6994-7003. | | | |
| B244 | Zhang JR, Mostov KE, Lamm ME, Nanno M, Shimida S, Ohwaki M, Tuomanen E, "The polymeric immunoglobulin receptor translocates pneumococci across human nasopharyngeal epithelial cells," 2000, <i>Cell</i> , 102(6):827-837. | | | |
| B245 | | Rivera AA, Preuss M, Zhou F, Siegal GP, Alvarez RD, Curiel DT, yer of Caco-2 cells by transferrin receptor-mediated adenovirus 8. | | |
| B246 | Zolotukhin et al., "Recombinant Adeno- Infectious Titer and Yield," 1999, Gene | Associated Virus Purification using Novel Methods Improves Ther, 6:973-985. | | |

Examiner Signature:

Date Considered: